

MADAN MOSSMAN & SRIRAM, P.C.

Attorneys At Law

2603 Augusta Drive, Suite 700, Houston, Texas 77057-5638 713 266-1130 Fax 713 266-8510

FACSIMILE COVER SHEET

DATE: February 22, 2006

TO: Office of Patent Publications

COMPANY OR FIRM: PTO

FACSIMILE NO.: (571) 273-8300

FROM: Beth Pearson-Naul for Kaushik P. Sriram

RE:

Serial No.: ~~10/925,646~~ 10/827,183

Docket No.: 584-36536-US

Title: "Use of Measurements Made in One Echo Train to Correct Ringing in Second to Avoid Use of Phase Alternated Pair in the Second"

RECEIVED
CENTRAL FAX CENTER

FEB 22 2006

NUMBER OF PAGES INCLUDING THIS COVER SHEET: 6

IF ANY OF THESE PAGES ARE NOT RECEIVED, PLEASE CALL BETH AT (713) 266-1130, ext. 117

Attached herewith is a Response to Office Action Dated January 1, 2006 for the above-referenced patent application.**CERTIFICATE OF FACSIMILE TRANSMISSION**

I hereby certify that this correspondence is being transmitted by facsimile to the attention of the Office of Patent Publications, facsimile no. (571) 273-8300 on this 22nd day of February, 2006.



Beth Pearson-Naul

CONFIDENTIALITY NOTICE

The documents included in this facsimile may contain information that is confidential or privileged, or both, and is intended only for the use of the individual or entity named on this facsimile cover letter. Any disclosure, copying, distribution, dissemination, or use of this information by any person other than the intended recipient is prohibited. If you have received this facsimile in error, please notify us by collect telephone call at (713) 266-1130 so that we can arrange for either the retrieval of the transmitted documents at no cost to you, or destruction of the transmitted documents.

RECEIVED
CENTRAL FAX CENTER

FEB 22 2006

CERTIFICATE OF TRANSMISSION BY FACSIMILE

I hereby certify that this correspondence is being transmitted by Facsimile on 22 February 2006 addressed to: Commissioner for Patents, at Telephone No. 571-273-8300.


Beth Pearson-Naul**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANT: David Beard et al.	§	Group Art Unit: 2859
	§	
SERIAL NO.: 10/827,183	§	
	§	Examiner: Vargas, Dixomara
FILED: April 19, 2004	§	
	§	Confirmation No.: 2430
TITLE: "Use of Measurements Made in	§	
One Echo Train to Correct Ringing	§	Atty Docket No.: 584-36526-US
in Second to Avoid Use of Phase	§	
Alternated Pair in the Second"	§	

RESPONSE TO OFFICE ACTION OF 1 JANUARY 2006

This is in response to the office action of 1 January 2006. No claim amendments are being made. Remarks, based on a telephone conference with the Examiner, start on page 2 of this document. Reconsideration of the application is respectfully requested in view of the remarks below.